



Dissolution Kinetics of Oxide Glasses

Effect of Network Topology

Mascaraque Alvarez, Nerea; Bauchy, Mathieu; Smedskjær, Morten Mattrup

Publication date:
2017

Document Version
Publisher's PDF, also known as Version of record

[Link to publication from Aalborg University](#)

Citation for published version (APA):

Mascaraque Alvarez, N., Bauchy, M., & Smedskjær, M. M. (2017). *Dissolution Kinetics of Oxide Glasses: Effect of Network Topology*. Abstract from 12th Pacific Rim Conference on Ceramic and Glass Technology, Waikoloa, Hawaii, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

Take down policy

If you believe that this document breaches copyright please contact us at vbn@aub.aau.dk providing details, and we will remove access to the work immediately and investigate your claim.

Dissolution Kinetics of Oxide Glasses: Effect of Network Topology

Nerea Mascaraque¹, Mathieu Bauchy², Morten M. Smedskjaer^{1,*}

¹*Department of Chemistry and Bioscience, Aalborg University, Fredrik Bajers Vej 7H, Aalborg 9220, Denmark*

²*Department of Civil and Environmental Engineering, University of California, Los Angeles, California 90095, USA*

Abstract

Oxide glasses gradually dissolve and corrode when they are exposed to aqueous solutions, limiting the scope of their applications. In a recent study focusing on silicate minerals and glasses, a direct relation was demonstrated between the dissolution rate at high pH and the number of chemical topological constraints per atom (n_c) acting within the molecular network. Here, we extend this work by studying the dissolution kinetics of seven oxide glasses with different network former and intermediate cations through measurements of weight loss of bulk samples immersed in acid (pH = 2 and 4), neutral (pH = 7), and basic (pH = 10 and 14) solutions. A direct relationship between their chemical durability and the network topology has been found. Our study of chemical dissolution also allows establishing the kinetic mechanisms depending on pH and glass topology. Thus, with this research and existing topological models, the atomistic design of new oxide glasses with a specific chemical durability for a determined pH becomes possible, e.g., novel bioactive glasses with tailored dissolution kinetics.